

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 501 | 717/170 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/03 16:36 |
| L2 | 36 | L1 and ((application near4 (version updat\$5 upgrad\$5)) and (URL (universal adj1 resource adj1 locator))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 16:36 |
| S1 | 4976 | (709/203).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/11 14:10 |
| S2 | 1330 | (709/245).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/11 14:08 |
| S3 | 618 | (718/105).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/11 14:09 |
| S4 | 867 | (718/104).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/11 14:09 |
| S5 | 7466 | S1 S2 S3 S4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 14:10 |
| S6 | 61 | server and (application near instance) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/13 14:17 |
| S7 | 432 | server and (persistent) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 14:36 |
| S8 | 3480 | (application near3 (server instance)) and (load adj2 balanc\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 15:18 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S9 | 962 | (application near3 (server instance)) same (load adj2 balanc\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 15:30 |
| S10 | 154 | S9 and S5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 17:25 |
| S11 | 393 | S9 and URL | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 15:31 |
| S12 | 1469 | S8 and (IP adj1 address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 17:26 |
| S13 | 107 | S9 and ((IP adj1 address) same instance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 17:28 |
| S14 | 12 | S9 and ((IP adj1 address) same (application near3 instance)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 17:30 |
| S15 | 659 | S8 and ((IP adj1 address) near5 (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 17:31 |
| S16 | 223 | S9 and ((IP adj1 address) near5 (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/11 17:31 |
| S17 | 9 | server and (application near instance) same ((IP adj1 address) near3 (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 08:35 |
| S18 | 129 | server and (application near instance) and ((IP adj1 address) near3 (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/12 08:01 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S19 | 335 | (proxy near2 server) and (application same ((user client) near4 (IP adj1 address))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/12 08:22 |
| S20 | 62 | (proxy near2 server) and ((application near3 (instance server)) same ((user client) near4 (IP adj1 address))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/12 08:22 |
| S21 | 3 | US-5410648-\$.DID. OR US-6061517-\$.DID. OR US-5956036-\$.DID. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/01/13 13:59 |
| S23 | 189 | (application near4 instance) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 08:45 |
| S24 | 6 | (application near4 instance) same (match adj1 maker) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 12:36 |
| S25 | 3 | US-5410648-\$.DID. OR US-6061517-\$.DID. OR US-5956036-\$.DID. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/01/18 13:35 |
| S26 | 3 | ("6061517").URPN. | USPAT | OR | ON | 2005/01/18 09:14 |
| S27 | 2400 | (application near4 (instance server)) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 12:38 |
| S28 | 953 | (application near4 (instance server)) with (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:00 |
| S29 | 64 | (application near instance) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:01 |
| S30 | 2209 | (application near3 (instance server set)) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:03 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S31 | 128 | S30 and ((IP adj1 address) near (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:19 |
| S32 | 3 | US-6275693-\$.DID. OR US-6292668-\$.DID. OR US-6112244-\$.DID. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/01/27 11:36 |
| S33 | 1122 | S30 and ((name ID identif\$7) near (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:21 |
| S34 | 1433 | S30 and ((name ID identif\$7) near3 (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:21 |
| S35 | 162 | S30 same ((name ID identif\$7) near (client user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:52 |
| S36 | 0 | ("2003/0078961").URPN. | USPAT | OR | ON | 2005/01/18 11:35 |
| S37 | 803 | (717/124,170).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 11:35 |
| S39 | 11 | S37 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 11:35 |
| S40 | 913 | (application near4 proxy near4 server) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 12:36 |
| S41 | 89 | (application near4 proxy near4 server) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 12:39 |
| S42 | 37 | (application near4 proxy near4 server) same (user near2 (name ID identifier identification)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 12:42 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S43 | 9 | US-6226752-\$.DID. OR US-6178511-\$.DID. OR US-6092196-\$.DID. OR US-6629246-\$.DID. OR US-5944824-\$.DID. OR US-6651168-\$.DID. OR US-6374359-\$.DID. OR US-6205480-\$.DID. OR US-6668322-\$.DID. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/01/18 13:44 |
| S44 | 5 | US-6041357-\$.DID. OR US-6092196-\$.DID. OR US-6115040-\$.DID. OR US-6205480-\$.DID. OR US-6006334-\$.DID. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/01/18 13:44 |
| S45 | 803 | (717/124,170).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 13:58 |
| S46 | 49 | S45 and (application near3 instance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 13:59 |
| S47 | 4991 | (709/203).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:11 |
| S48 | 2196 | (709/229).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/01/18 16:11 |
| S50 | 607 | (S47 S48) and (application near3 (instance servier proxy)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 16:14 |
| S52 | 2800 | (S47 S48) and (application near3 (instance server proxy)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/18 16:15 |
| S53 | 382 | (S47 S48) and ((application near3 (instance server proxy)) same ((user client) near3 (name ID identifi\$6))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/19 14:05 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S54 | 3 | US-5410648-\$.DID. OR US-6061517-\$.DID. OR US-5956036-\$.DID. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/01/27 11:36 |
| S55 | 1056 | (application program) near4 (access\$5 select\$5 choos\$5 pick\$5) near10 (URL universal adj1 resource adj1 locator) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 17:19 |
| S56 | 781 | (application program) near4 (access\$5 select\$5 choos\$5 pick\$5) near5 (URL universal adj1 resource adj1 locator) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:56 |
| S57 | 614 | (application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 (URL universal adj1 resource adj1 locator) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:09 |
| S58 | 15 | (application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$6 name ID))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:19 |
| S59 | 15 | ((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) near5 ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$6 name ID))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:15 |
| S60 | 73 | ((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) same ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$6 name ID))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:19 |
| S61 | 88 | ((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) same ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$8 name ID))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:47 |
| S62 | 17 | (application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 ((URL universal adj1 resource adj1 locator) near5 ((user client) near3 (identif\$8 name ID))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:19 |
| S63 | 170 | ((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) near4 (IP near2 address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:52 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S64 | 46 | ((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) near4 ((IP near2 address) near3 (user client request\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:58 |
| S65 | 245 | ((application program software) near3 (access\$5 select\$5 choos\$5 pick\$5)) same ((IP near2 address) near3 (user client request\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 10:59 |
| S66 | 903 | (application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 (version) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 11:14 |
| S67 | 2781 | (application program) near3 (access\$5 select\$5 choos\$5 pick\$5) near5 (version updat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:36 |
| S68 | 5054 | (709/203).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/02 11:14 |
| S69 | 1352 | (709/245).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/02 11:14 |
| S70 | 629 | (718/105).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/02 11:14 |
| S71 | 884 | (718/104).CCLS. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/02 11:14 |
| S72 | 7586 | S68 S69 S70 S71 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 11:14 |
| S73 | 7586 | S72 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 11:15 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S74 | 117 | S73 and S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 11:15 |
| S75 | 2421 | (URL (universal near3 locat\$3)) near4 ((user client) near4 (ID idenification name address)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 13:29 |
| S76 | 2091 | (URL (universal near3 locat\$3)) near3 ((user client) near4 (ID idenification name address)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 13:31 |
| S77 | 275 | S72 and S76 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 13:29 |
| S78 | 267 | S76 and (application near3 (select proxy choose pick assign)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 13:36 |
| S79 | 11 | S76 same (application near3 (select proxy choose pick assign)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 13:36 |
| S80 | 1 | application near4 (match near3 maker) near10 (version) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:23 |
| S81 | 9 | application near4 (match near3 maker) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 10:29 |
| S82 | 20 | application same (match near3 maker) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:34 |
| S83 | 4548 | (application program) near3 (access\$5 select\$5 choos\$5 pick\$5 match\$5 connect\$5) near10 (version updat\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:37 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S84 | 178 | S72 and S83 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:37 |
| S85 | 4 | (application program) near4 (proxy) near5 (URL universal adj1 resource adj1 (locator identifier)) near10 (client user near4 (ID name identific\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:58 |
| S86 | 41 | (application program instance) near4 (proxy match\$5 select\$5 assign\$5) near5 (URL universal adj1 resource adj1 (locator identifier)) near10 (client user near4 (ID name identific\$8)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 16:59 |
| S87 | 38 | ("4485440" "4791565" "4999806" "5047919" "5083309" "5231566" "5291596" "5386369" "5388211" "5475585" "5497479" "5499340" "5528490" "5583993" "5590056" "5613089" "5634129" "5649187" "5666493" "5680615" "5754761" "5758110" "5761651" "5765143" "5771354" "5790664" "5819092" "5828843" "5845065" "5862377" "5870717" "5894571" "5913032" "5936860" "5987376" "6108703" "6145001" "6223177").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/02/02 17:13 |
| S88 | 1 | ("6532488").URPN. | USPAT | OR | ON | 2005/02/02 17:16 |
| S89 | 14 | ("4780821" "5918010" "5925127" "6108779" "6212564" "6216153" "6339826" "6343280" "6411943" "6510466" "6532488" "6532543" "6546002" "6550062").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/02/02 17:16 |
| S90 | 1102 | (application program version) near4 (access\$5 select\$5 choos\$5 pick\$5) near10 (URL universal adj1 resource adj1 locator) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 17:20 |
| S91 | 13 | (application program version) near4 (access\$5 select\$5 choos\$5 pick\$5) near10 ((URL universal adj1 resource adj1 locator) near10 ((user client computer) near4 (name ID identification))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/02 17:22 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S92 | 17 | (application near2 instance) near4 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 11:33 |
| S93 | 34 | (application near2 instance) near10 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 08:43 |
| S94 | 84 | (application near4 (instance context)) near10 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 07:30 |
| S95 | 320 | (application near4 (instance context)) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 07:30 |
| S96 | 193 | (application near4 (instance)) same (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 07:39 |
| S97 | 115 | (application near4 (instance session)) near10 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 07:45 |
| S98 | 56 | ((application process) near4 (instance)) near10 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 07:45 |
| S99 | 0 | (application near instance) near10 ((IP adj1 address) near10 (client user terminal)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 11:57 |
| S10 0 | 0 | (application near2 instance) near4 ((IP adj1 address) near4 (client terminal user)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 10:42 |
| S10 1 | 13 | (application near2 instance) near4 ((IP adj1 address)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 08:38 |

| | | | | | | |
|----------|------|---|---|----|----|------------------|
| S10 2 | 15 | (application near4 instance) near4 ((IP adj1 address)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 09:22 |
| S10 3 | 114 | (application near4 instance) same ((IP adj1 address)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 08:38 |
| S10 4 | 92 | (load near2 balanc\$5) near10 ((IP adj1 address) near3 (client user source terminal)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 08:56 |
| S10 5 | 175 | (load near2 balanc\$5) near10 ((address) near3 (client user source terminal)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 09:19 |
| S10 6 | 1149 | (application instance process) near10 ((IP adj1 address) near3 (client user source terminal)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 11:56 |
| S10 7 | 504 | ((application near2 instance) process) near10 ((IP adj1 address) near3 (client user source terminal)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 09:20 |
| S10 8 | 17 | ("4403286" "4495570" "4577272" "5031089" "5675739" "5917997" "5923854" "5935215" "5951650" "6023734" "6078964" "6084859" "6101543" "6175874" "6185218" "6266335" "6343322").PN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/02/03 09:22 |
| S10 9 | 382 | ((client user) near3 identification) near10 (IP adj1 address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 09:25 |
| S11 0 | 17 | S109 and (application near4 instance) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 09:35 |
| S11 1 | 197 | S109 and ((application software program) near10 (access\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 09:36 |

| | | | | | | |
|----------|-----|---|---|----|----|------------------|
| S11 2 | 72 | ((application software program) near2 (updat\$5 upgrad\$5)) near4 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 10:33 |
| S11 3 | 128 | ((application software program) near4 (updat\$5 upgrad\$5 version)) near4 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 10:11 |
| S11 4 | 214 | ((application software program) near4 (updat\$5 upgrad\$5 version)) near10 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 10:12 |
| S11 5 | 2 | (new chang\$5 updat\$5) near4 (application near2 instance) near4 (URL (universal adj1 resource adj1 locator)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 10:20 |
| S11 6 | 11 | application near10 (match near3 maker) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 10:30 |
| S11 7 | 1 | ("5774660").pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/03 11:04 |
| S11 8 | 532 | 717/168 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/03 11:59 |
| S11 9 | 501 | 717/170 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/03 11:04 |
| S12 0 | 309 | 717/171 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/03 11:04 |
| S12 2 | 84 | (S118 S119 S120) and ((application near4 (version updat\$5 upgrad\$5)) and (URL (universal adj1 resource adj1 locator))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 11:59 |
| S12 3 | 5 | S106 and (S118 S119 S120) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 11:56 |

| | | | | | | |
|----------|-----|--|---|----|----|------------------|
| S12 4 | 13 | (application near instance) same ((IP adj1 address) near10 (client user terminal)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 11:57 |
| S12 5 | 197 | 717/169 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/03 11:59 |
| S12 6 | 262 | 717/175 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2005/02/03 11:59 |
| S12 7 | 94 | (S118 S119 S120 S125 S126) and ((application near4 (version updat\$5 upgrad\$5)) and (URL (universal adj1 resource adj1 locator))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 12:01 |
| S12 8 | 317 | (S118 S119 S120 S125 S126) and (application near2 (service server)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/03 12:02 |